Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
5	286465	((arm or member or bracket or mount) with (hollow or tubular)) same (slot or opening or hole or bore or channel or passageway or passage or trough or aperture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:43
L2	8012	((cable or cabling or wire\$1 or wiring or line\$1 or cord) near (slot or opening or hole or bore or channel or passageway or passage or trough or aperture)) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:17
L5	116230	((arm or member or bracket or mount) with (pivoting or pivotable or pivotal or pivot\$1 or swivel\$5 or rotatable or rotating or rotate\$1)) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:20
L6	241	2 and "248"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:23
L7	211	2 and "403"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:44
L8	116230	1 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:21
L9	3610	8 and "248"/\$.ccls:	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:21
L10	2518	8 and "403"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2004/11/18 09:21

L25	6892	(((arm or member or bracket or mount) with (hollow or tubular)) same ((arm or member or bracket or mount) near (channel or trough or flange\$1 or rail or track))) and ((arm or member or bracket or mount) near (slot or opening or hole or bore or channel or passageway or passage or trough or aperture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:50
L30	369	25 and "248"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:50
L31	199	25 and "403"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:55
L32	1247	9 and (channel or track or rail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:50
L33	614	10 and (channel or track or rail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 09:50
L34	663	32 and ((cable\$1 or wire\$1 or line\$1 or cabling or wiring or cord\$1) same (channel or track or rail))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:04
L35	289	33 and ((cable\$1 or wire\$1 or line\$1 or cabling or wiring or cord\$1) same (channel or track or rail))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:01
L45	219	(arm or tube or member or bracket or mount) with (channel or hollow or (open adj2 bottom)) same ((arm or tube or member or bracket or mount) near (cables or wires or lines or cords or wiring or cabling))	US-PGPUB; USPAT	OR	OFF	2004/11/18 10:16

Search History 11/18/04 10:32:52 AM Page 2 C:\APPS\east\workspaces\10079804.wsp

L49	173	(((arm or member or bracket or joint or mount) near (hollow or tubular)) same (channel or (open adj2 (bottom or surface or side or wall)))) and ((slot or opening or hole or aperture or passage or passageway or bore) near (cable\$1 or wire\$1 or wiring or cabling or line\$1 or cord\$1))	US-PGPUB; USPAT	OR	OFF	<u>2004/11/18 10:26</u>
L50	1	(((arm or member or bracket or	EPO; JPO;	OR	OFF	2004/11/18 10:29
		joint or mount) near (hollow or	DERWENT;		•••••	
			IBM_TDB			
		adj2 (bottom or surface or side or	A			
		wall)))) and ((slot or opening or	A 1 2 A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
		hole or aperture or passage or				
		passageway or bore) near				
		(cable\$1 or wire\$1 or wiring or				
		cabling or line\$1 or cord\$1))				